

TRANSITION GUIDE



Lynda Juall Carpenito, RN, MSN, CRNP

ISBN: 9781284197976

Paperback w/ Companion Website

500 pages • © 2023

Connect with JBL

Facebook:

<https://www.facebook.com/JBLearning>

Nursing

Twitter:

@JBL_Nursing

Blog:

blogs.jblearning.com/nursing

This transition guide serves to outline the updates and new content found in *Handbook of Nursing Diagnosis, Sixteenth Edition*.

OUTSTANDING FEATURES

- Written with a new organizational philosophy, this edition breaks down assessments and interventions into three levels – fundamental, extended, and advanced. In this new format, beginner students can easily identify which diagnoses are appropriate for them and which ones require more specialized study.
- The author brings her clinical expertise to each diagnosis, calling on over 50 years of experience as a nurse and over 26 years as a primary care nurse practitioner.
- Provides a comprehensive, condensed outline of nearly 100 nursing diagnoses that may be encountered in clinical practice
- Clinical Alerts highlight critical considerations related to specific assessments or interventions. Carp's Cues offer valuable insights from the author about various diagnoses.

REVISION UPDATES

- All diagnoses have been updated to reflect the NANDA-I's latest edition and most current definitions.
- New design highlights the different levels of complexity in nursing diagnoses and nurse/patient encounters, from fundamental interventions (same day surgery, 1–2-day admissions) to advanced interventions (specific expertise in a particular practice setting).
- Offers three brand-new introductory chapters focused on the why and how of nursing diagnosis, the importance of communication in nursing care, and steps to effective care planning.
- Combines all nursing diagnoses into a single section, separated out by type (individual, family/home, community, and health promotion).
- Includes dozens of new nursing diagnoses such as Risk for Complicated Immigrant Transition, Risk for Female Mutilation and Neonatal Abstinence Syndrome.

APPLICABLE COURSES


- Fundamentals of Nursing
- Introduction to Nursing Science and Practice
- Health Assessment

INSTRUCTOR RESOURCES

- Additional Nursing Diagnoses
- Nursing Baseline Assessment Form
- Diagnostic Clusters
- The Diagnostic Process, or Putting It All Together
- Instructor's Manual


CHAPTER OUTLINE

This chapter outline comparison has been created to help you easily transition to the *Sixteenth Edition*. Note that chapter content from the *Fifteenth Edition* may now be found in a different chapter in the *Sixteenth Edition*. Also note that chapter numbers and titles may have been updated.



*Handbook of Nursing
Diagnosis, Fifteenth
Edition*

By Lynda Juall Carpenito



*Handbook of Nursing
Diagnosis, Sixteenth
Edition*

By Lynda Juall Carpenito

Fifteenth Edition	Sixteenth Edition
SECTION 1: Nursing Diagnoses	SECTION 1: The Focus of Nursing Care
Activity Intolerance Activity Planning, Ineffective <ul style="list-style-type: none"> Activity Planning, Risk for Ineffective Adverse Reaction to Iodinated Contrast Media, Risk for Allergy Response, Risk for Anxiety <ul style="list-style-type: none"> Anxiety, Death Bleeding, Risk for Blood Glucose Level, Risk for Unstable Bowel Incontinence Breastfeeding, Ineffective Breastfeeding, Interrupted Breast Milk, Insufficient Cardiac Output, Decreased Caregiver Role Strain <ul style="list-style-type: none"> Caregiver Role Strain, Risk for Childbearing Process, Ineffective <ul style="list-style-type: none"> Childbearing Process, Risk for Ineffective Comfort, Impaired <ul style="list-style-type: none"> Pain, Acute Pain, Chronic Pain Syndrome, Chronic Pain, Labor Communication, Impaired <ul style="list-style-type: none"> Communication, Impaired Verbal Confusion, Acute <ul style="list-style-type: none"> Confusion, Risk for Acute Confusion, Chronic	Chapter 1: The Why and How of Nursing Diagnosis
	Chapter 2: Communication: Speak Up to Prevent Unfavorable Events
	Chapter 3: 11 Steps to Care Planning

Contamination, Individual

- Contamination, Risk for Individual

Contamination, Family

- Contamination, Risk for Community

Coping, Ineffective

- Coping, Defensive
- Impulse Control, Ineffective
- Denial, Ineffective
- Labile Emotional Control
- Impaired Mood Regulation

Coping, Ineffective Community

Coping, Compromised Family

Coping, Disabled Family

Decisional Conflict

Diarrhea

Disuse Syndrome, Risk for

Diversional Activity, Deficient

Dysreflexia, Autonomic

- Dysreflexia, Risk for Autonomic

Electrolyte Imbalance, Risk for

Family Processes, Interrupted

- Family Processes, Dysfunctional

Fear

Fluid Volume, Deficient

- Fluid Volume, Risk for Deficient

Fluid Volume, Excess

Fluid Volume, Risk for Imbalanced

Gastrointestinal Motility, Dysfunctional

- Gastrointestinal Motility, Risk for Dysfunctional

Grieving

- Grieving, Anticipatory
- Grieving, Complicated
- Grieving, Risk for Complicated

Health, Deficient Community

Health Behavior, Risk-Prone

Health Maintenance, Ineffective

- Health Management, Ineffective

Home Management, Impaired

Hopelessness

Human Dignity, Risk for Compromised

Infant Behavior, Disorganized

- Infant Behavior, Risk for Disorganized

Infection, Risk for

Infection Transmission, Risk for

Injury, Risk for

- Aspiration, Risk for
- Falls, Risk for
- Poisoning, Risk for
- Suffocation, Risk for
- Thermal Injury, Risk for
- Perioperative Positioning Injury, Risk for

<ul style="list-style-type: none"> • Urinary Tract Injury, Risk for <p>Intracranial Adaptive Capacity, Decreased</p> <p>Jaundice, Neonatal</p> <ul style="list-style-type: none"> • Jaundice, Risk for Neonatal <p>Knowledge, Deficient</p> <p>Latex Allergy Response</p> <ul style="list-style-type: none"> • Latex Allergy Response, Risk for <p>Lifestyle, Sedentary</p> <p>Liver Function, Risk for Increased</p> <p>Maternal/Fetal Dyad, Risk for Disturbed</p> <p>Memory, Impaired</p> <p>Mobility, Impaired Physical</p> <ul style="list-style-type: none"> • Bed Mobility, Impaired • Sitting, Impaired • Standing, Impaired • Walking, Impaired • Wheelchair Mobility, Impaired • Transfer Ability, Impaired <p>Moral Distress</p> <ul style="list-style-type: none"> • Moral Distress, Risk for <p>Neglect, Self</p> <p>Neglect, Unilateral</p> <p>Noncompliance</p> <p>Nutrition, Imbalanced</p> <ul style="list-style-type: none"> • Dentition, Impaired • Swallowing, Impaired • Infant Feeding Pattern, Ineffective <p>Obesity</p> <ul style="list-style-type: none"> • Overweight • Risk for Overweight <p>Parenting, Impaired</p> <p>Post-Trauma Syndrome</p> <ul style="list-style-type: none"> • Post-Trauma Syndrome, Risk for • Rape Trauma Syndrome (Sexual Assault Trauma Syndrome) <p>Powerlessness</p> <ul style="list-style-type: none"> • Powerlessness, Risk for <p>Protection, Ineffective</p> <ul style="list-style-type: none"> • Corneal Injury, Risk for • Dry Eye, Risk for • Oral Mucous Membrane, Impaired • Oral Mucous Membrane, Risk for Impaired • Tissue Integrity, Impaired • Tissue Integrity, Risk for Impaired • Skin Integrity, Impaired • Skin Integrity, Risk for Impaired • Pressure Ulcer • Pressure Ulcer, Risk for Impaired <p>Relationship, Ineffective</p> <ul style="list-style-type: none"> • Relationship, Risk for Ineffective <p>Relocation Stress Syndrome</p> <ul style="list-style-type: none"> • Relocation Stress Syndrome, Risk for 	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Resilience, Risk for Compromised
 Resilience, Impaired Individual
 Respiratory Function, Risk for Ineffective

- Ventilatory Weaning Response, Dysfunctional
- Ventilatory Weaning Response, Risk for Dysfunctional
- Airway Clearance, Ineffective
- Breathing Pattern, Ineffective
- Gas Exchange, Impaired
- Spontaneous Ventilation, Impaired

Role Performance, Ineffective
 Self-Care Deficit Syndrome

- Feeding Self-Care Deficit
- Bathing Self-Care Deficit
- Dressing Self-Care Deficit
- Instrumental Self-Care Deficit
- Toileting Self-Care Deficit

Self-Concept Disturbed

- Body Image, Disturbed
- Personal Identity, Disturbed
- Personal Identity, Risk for Disturbed
- Self-Esteem, Disturbed
- Self-Esteem, Chronic Low
- Self-Esteem, Risk for Chronic Low
- Self-Esteem, Situational Low
- Self-Esteem, Risk for Situational Low

Self-Harm, Risk for

- Self-Mutilation
- Self-Mutilation, Risk for
- Suicide, Risk for

Sexuality Pattern, Ineffective

- Sexual Dysfunction

Shock, Risk for
 Sleep Pattern, Disturbed

- Insomnia
- Sleep Deprivation

Social Isolation
 Sorrow, Chronic
 Spiritual Distress

- Spiritual Distress, Risk for
- Religiosity, Impaired
- Religiosity, Risk for Impaired

Stress Overload
 Sudden Infant Death Syndrome, Risk for
 Surgical Recovery, Delayed

- Surgical Recovery, Risk for Delayed

Tissue Perfusion, Ineffective

- Cardiac Tissue Perfusion, Risk for Decreased
- Cerebral Tissue Perfusion, Risk for Ineffective
- Gastrointestinal Tissue Perfusion, Risk for Ineffective

<ul style="list-style-type: none"> • Peripheral Tissue Perfusion, Ineffective • Peripheral Tissue Perfusion, Risk for Ineffective • Peripheral Neurovascular Dysfunction, Risk for • Renal Perfusion, Risk for Ineffective <p>Urinary Elimination, Impaired</p> <ul style="list-style-type: none"> • Maturational Enuresis • Functional Urinary Incontinence • Reflex Urinary Incontinence • Stress Urinary Incontinence • Continuous Urinary Incontinence • Urge Urinary Incontinence • Urge Urinary Incontinence, Risk for • Overflow Urinary Incontinence <p>Vascular Trauma, Risk for</p>	
SECTION 2: Health-Promotion Nursing Diagnoses	SECTION 2: Manual of Nursing Diagnoses
<p>Readiness for Enhanced Breastfeeding</p> <p>Readiness for Enhanced Childbearing Process</p> <p>Readiness for Enhanced Comfort</p> <p>Readiness for Enhanced Communication</p> <p>Readiness for Enhanced Coping</p> <p>Readiness for Enhanced Community Coping</p> <p>Readiness for Enhanced Decision-Making</p> <p>Readiness for Enhanced Emancipated Decision-Making</p> <p>Readiness for Enhanced Family Coping</p> <p>Readiness for Enhanced Family Processes</p> <p>Readiness for Enhanced Fluid Balance</p> <p>Readiness for Enhanced Health Management</p> <p>Readiness for Enhanced Hope</p> <p>Readiness for Enhanced Organized Infant Behavior</p> <p>Readiness for Enhanced Knowledge (Specify)</p> <p>Readiness for Enhanced Nutrition</p> <p>Readiness for Enhanced Parenting</p> <p>Readiness for Enhanced Power</p> <p>Readiness for Enhanced Relationship</p> <p>Readiness for Enhanced Religiosity</p> <p>Readiness for Enhanced Resilience</p> <p>Readiness for Enhanced Self-Care</p> <p>Readiness for Enhanced Self-Concept</p> <p>Readiness for Enhanced Sleep</p> <p>Readiness for Enhanced Spiritual Well-Being</p> <p>Readiness for Enhanced Urinary Elimination</p>	<p><i>Part 1: Individual Nursing Diagnoses</i></p> <p>Abstinence Syndrome, Neonatal</p> <p>Activity Tolerance, Decreased</p> <ul style="list-style-type: none"> • Activity Tolerance, Risk for Decreased <p>Activity Planning, Ineffective</p> <ul style="list-style-type: none"> • Activity Planning, Risk for Ineffective <p>Adverse Reaction to Iodinated Contrast Media, Risk for</p> <p>Allergy Reaction, Risk for</p> <p>Anxiety</p> <ul style="list-style-type: none"> • Anxiety, Death <p>Bleeding, Risk for</p> <p>Blood Glucose Level, Risk for Unstable</p> <p>Bowel Continence, Impaired</p> <p>Breastfeeding, Ineffective</p> <ul style="list-style-type: none"> • Ineffective Breastfeeding, Risk for • Breastfeeding, Interrupted • Breast Milk Production, Insufficient <p>Cardiac Output, Decreased</p> <ul style="list-style-type: none"> • Cardiac Output, Risk for Decreased <p>Cardiovascular Function, Risk for Impaired</p> <p>Caregiver Role Strain</p> <ul style="list-style-type: none"> • Caregiver Role Strain, Risk for <p>Childbearing Process, Ineffective</p> <ul style="list-style-type: none"> • Childbearing Process, Risk for Ineffective <p>Comfort, Impaired</p> <ul style="list-style-type: none"> • Pain, Acute • Pain, Chronic • Pain Syndrome, Chronic • Pain, Labor • Nausea <p>Communication, Impaired</p> <ul style="list-style-type: none"> • Communication, Impaired Verbal <p>Confusion, Acute</p> <ul style="list-style-type: none"> • Confusion, Risk for Acute

Confusion, Chronic
 Constipation, Chronic Functional

- Constipation, Risk for Chronic Functional
- Constipation, Perceived

 Contamination

- Contamination, Risk for

 Coping, Ineffective

- Coping, Defensive
- Denial, Ineffective
- Impulse Control, Ineffective
- Labile Emotional Control
- Mood Regulation, Impaired

 Decisional Conflict

- Decision-Making, Impaired Emancipated
- Decision-Making, Risk for Impaired Emancipated

 Diarrhea
 Disuse Syndrome, Risk for
 Diversional Activity Engagement, Decreased
 Dysreflexia, Autonomic

- Dysreflexia, Risk for Autonomic

 Electrolyte Imbalance, Risk for
 Elderly Syndrome, Frail

- Elderly Syndrome, Risk for Frail

 Elopement Attempt, Risk for
 Energy Field, Imbalanced
 Engagement, Compromised

- Engagement, Risk for Compromised

 Fatigue
 Fear
 Fluid Volume, Deficient

- Fluid Volume, Risk for Deficient

 Fluid Volume, Excess

- Fluid Volume, Risk for Imbalanced

 Gastrointestinal Motility, Dysfunctional

- Gastrointestinal Motility, Risk for Dysfunctional

 Grieving

- Grieving, Anticipatory
- Grieving, Complicated
- Complicated Grieving, Risk for
- Grieving, Maladaptive
- Grieving, Risk for Maladaptive

 Growth and Development, Delayed

- Development, Risk for Delayed
- Disproportionate Growth, Risk for
- Child Development, Delayed
- Child Development, Risk for Delayed
- Infant Motor Development, Delayed
- Infant Motor Development, Risk for Delayed
- Failure to Thrive, Adult

 Health-Behavior, Risk-Prone
 Health Maintenance Behaviors, Ineffective
 Health Self-Management, Ineffective

Hopelessness
 Human Dignity, Risk for Compromised
 Hyperbilirubinemia, Neonatal

- Hyperbilirubinemia, Risk for Neonatal

 Immigrant Transition, Risk for Complicated
 Impulse Control, Ineffective
 Infection, Risk for
 Infection, Risk for Surgical Site
 Infection Transmission, Risk for
 Injury, Risk for

- Aspiration, Risk for
- Corneal Injury, Risk for
- Falls, Risk for Adult
- Falls, Risk for Child
- Injury, Nipple-Areolar Complex
- Injury, Risk for Nipple-Areolar Complex
- Occupational Injury, Risk for
- Perioperative Positioning Injury, Risk for
- Physical Trauma, Risk for
- Poisoning, Risk for
- Suffocation, Risk for
- Thermal Injury, Risk for
- Urinary Tract Injury, Risk for

 Latex Allergy Reaction, Risk for
 Lifestyle, Sedentary
 Liver Function, Risk for Impaired
 Loneliness, Risk for
 Lymphedema Self-Management, Ineffective

- Lymphedema Self-Management, Risk for Ineffective

 Maternal/Fetal Dyad, Risk for Disturbed
 Memory, Impaired
 Metabolic Syndrome, Risk for
 Mobility, Impaired Physical

- Mobility, Impaired Bed
- Sitting, Impaired
- Standing, Impaired
- Transfer Ability, Impaired
- Walking, Impaired
- Wheelchair Mobility, Impaired

 Moral Distress

- Moral Distress, Risk for

 Neglect, Self
 Neglect, Unilateral
 Nutrition, Imbalanced: Less Than Body Requirements

- Dentition, Impaired
- Eating Dynamics, Ineffective Adolescent
- Eating Dynamics, Ineffective Child
- Feeding Dynamics, Ineffective Infant
- Suck-Swallow Response, Ineffective Infant
- Swallowing, Impaired

 Obesity

	<p>Overweight</p> <ul style="list-style-type: none"> • Overweight, Risk for <p>Post-Trauma Syndrome</p> <ul style="list-style-type: none"> • Post-Trauma Syndrome, Risk for • Rape Trauma Syndrome <p>Powerlessness</p> <ul style="list-style-type: none"> • Powerlessness, Risk for <p>Protection, Ineffective</p> <ul style="list-style-type: none"> • Corneal Injury, Risk for • Dry Eye, Risk for • Dry Eye Self-Management, Ineffective • Dry Mouth, Risk for • Tissue Integrity, Impaired • Tissue Integrity, Risk for Impaired • Pressure Injury, Adult • Pressure Injury, Risk for Adult • Pressure Injury, Child • Pressure Injury, Risk for Child • Pressure Injury, Neonatal • Pressure Injury, Risk for Neonatal • Skin Integrity, Impaired • Skin Integrity, Risk for Impaired • Oral Mucous Membrane Integrity, Impaired • Oral Mucous Membrane Integrity, Risk for Impaired <p>Relationship, Ineffective</p> <ul style="list-style-type: none"> • Relationship, Risk for Ineffective <p>Relocation Stress Syndrome</p> <ul style="list-style-type: none"> • Relocation Stress Syndrome, Risk for <p>Resilience, Impaired</p> <ul style="list-style-type: none"> • Resilience, Risk for Impaired <p>Respiratory Function, Risk for Ineffective</p> <ul style="list-style-type: none"> • Airway Clearance, Ineffective • Breathing Pattern, Ineffective • Gas Exchange, Impaired • Spontaneous Ventilation, Impaired • Ventilatory Weaning Response, Dysfunctional <p>Role Performance, Ineffective</p> <p>Self-Care Deficit Syndrome</p> <ul style="list-style-type: none"> • Bathing Self-Care Deficit • Dressing Self-Care Deficit • Feeding Self-Care Deficit • Instrumental Self-Care Deficit • Toileting Self-Care Deficit <p>Self-Concept, Disturbed</p> <ul style="list-style-type: none"> • Body Image, Disturbed • Personal Identity, Disturbed • Personal Identity, Risk for Disturbed • Self-Esteem, Chronic Low • Self-Esteem, Risk for Chronic Low • Self-Esteem, Situational Low
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Self-Esteem, Risk for Situational Low

Self-Harm, Risk for

- Self-Mutilation
- Self-Mutilation, Risk for
- Risk for Suicidal Behavior

Sexuality Patterns, Ineffective

- Sexual Dysfunction

Shock, Risk for

Sleep Pattern, Disturbed

- Insomnia
- Sleep Deprivation

Social Interaction, Impaired

Social Isolation

Sorrow, Chronic

Spiritual Distress

- Spiritual Distress, Risk for
- Religiosity, Impaired
- Religiosity, Risk for Impaired

Stress Overload

Substance Withdrawal Syndrome, Acute

- Substance Withdrawal Syndrome, Risk for Acute

Sudden Infant Death, Risk for

Surgical Recovery, Delayed

- Surgical Recovery, Risk for Delayed

Thermoregulation, Ineffective

- Thermoregulation, Risk for Ineffective
- Hyperthermia
- Hypothermia
- Hypothermia, Risk for
- Hypothermia, Neonatal
- Hypothermia, Risk for Neonatal

Thought Process, Disturbed

Thrombosis, Risk for

Tissue Perfusion, Ineffective

- Cardiac Tissue Perfusion, Risk for Decreased
- Cerebral Tissue Perfusion, Risk for Ineffective
- Peripheral Tissue Perfusion, Ineffective
- Peripheral Tissue Perfusion, Risk for Ineffective
- Peripheral Neurovascular Dysfunction, Risk for

Urinary Elimination, Impaired

- Maturational Enuresis
- Incontinence, Disability-Associated Urinary
- Incontinence, Mixed Urinary
- Incontinence, Stress Urinary
- Incontinence, Urge Urinary
- Incontinence, Risk for Urge Urinary
- Retention, Urinary
- Retention, Risk for Urinary

Vascular Trauma, Risk for

Violence, Risk for Other-Directed

Violence, Risk for Self-Directed

Female Genital Mutilation, Risk for

	Wandering
	<p><i>Part 2: Family/Home Nursing Diagnoses</i></p> <p>Coping, Compromised Family Coping, Disabled Family Family Processes, Dysfunctional Family Processes, Interrupted Family Health Self-Management, Ineffective Family Identity Syndrome, Disturbed</p> <ul style="list-style-type: none"> • Family Identity Syndrome, Risk for Disturbed • Home Maintenance Behaviors, Ineffective • Home Maintenance Behaviors, Risk for Ineffective <p>Parenting, Impaired</p> <ul style="list-style-type: none"> • Parenting, Risk for Impaired • Attachment, Risk for Impaired • Parental Role Conflict
	<p><i>Part 3: Community Nursing Diagnoses</i></p> <p>Contamination, Community Coping, Ineffective Community Health, Deficient Community Health Management, Ineffective Community</p>
	<p><i>Part 4: Health Promotion/Wellness Nursing Diagnoses</i></p> <p>Breastfeeding, Readiness for Enhanced Childbearing Process, Readiness for Enhanced Comfort, Readiness for Enhanced Communication, Readiness for Enhanced Coping, Readiness for Enhanced Coping, Readiness for Enhanced Community Coping, Readiness for Enhanced Family Decision-Making, Readiness for Enhanced Emancipated Decision-Making, Readiness for Enhanced Exercise Engagement, Readiness for Enhanced Family Processes, Readiness for Enhanced Grieving, Readiness for Enhanced Health Literacy, Readiness for Enhanced Health Self-Management, Readiness for Enhanced Home Maintenance Behaviors, Readiness for Enhanced Hope, Readiness for Enhanced Infant Behavior, Readiness for Enhanced Organized Knowledge (Specify), Readiness for Enhanced Nutrition, Readiness for Enhanced Parenting, Readiness for Enhanced Power, Readiness for Enhanced Relationship, Readiness for Enhanced Religiosity, Readiness for Enhanced Resilience, Readiness for Enhanced Self-Care, Readiness for Enhanced Self-Concept, Readiness for Enhanced Sleep, Readiness for Enhanced Spiritual Well-Being, Readiness for Enhanced</p>

SECTION 3: Manual of Collaborative Problems	SECTION 3: Manual of Collaborative Problems
Risk for Complications of Cardiac/Vascular/Respiratory Dysfunction <ul style="list-style-type: none"> • Risk for Complications of Arrhythmias • Risk for Complications of Bleeding • Risk for Complications of Decreased Cardiac Output • Risk for Complications of Compartment Syndrome • Risk for Complications of Deep Vein Thrombosis • Risk for Complications of Hypovolemia • Risk for Complications of Systemic Inflammatory Response Syndrome (SIRS)/SEPSIS • Risk for Complications of Acute Urinary Retention • Risk for Complications of Renal Insufficiency/Failure • Risk for Complications of GI Bleeding • Risk for Complications of Paralytic Ileus 	Introduction
	Cardiac/Vascular Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Arrhythmias, Risk for Complications of • Bleeding, Risk for Complications of • Decreased Cardiac Output, Risk for Complications of • Deep Vein Thrombosis/Pulmonary Embolism, Risk for Complications of • Heart Failure, Risk for Complications of • Hypovolemia, Risk for Complications of
	Respiratory Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Atelectasis, Pneumonia, Risk for Complications of • Hypoxemia, Risk for Complications of
	Metabolic/Immune/Hematopoietic Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Allergic Reaction, Risk for Complications of • Hypo/Hyperglycemia, Risk for Complications of
	Renal/Urinary Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Acute Urinary Incontinence, Risk for Complications of • Renal Calculi, Risk for Complications of • Acute Renal Injury, Risk for Complications of
	Neurologic/Sensory Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Risk for Complications of Alcohol Withdrawal • Risk for Complications of Increased Intracranial Pressure (ICP) • Risk for Complications of Seizures
	Gastrointestinal/Hepatic/Biliary Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • GI Bleeding, Risk for Complications of • Hepatic Dysfunction, Risk for Complications of • Paralytic Ileus, Risk for Complications of
	Muscular/Skeletal Dysfunction, Risk for Complications of <ul style="list-style-type: none"> • Compartment Syndrome, Risk for Complications of
	Medication Therapy Adverse Effects, Risk for Complications of <ul style="list-style-type: none"> • Anticoagulant Therapy Adverse Effects, Risk for Complications of
SECTION 4: Diagnostic Clusters	SECTION 4: Diagnostic Clusters
Part 1: Medical Conditions	Part 1: Medical Conditions
Part 2: Surgical Procedures	Part 2: Surgical Procedures
Part 3: Obstetric/Gynecologic Conditions	Part 3: Obstetric/Gynecologic Conditions
Part 4: Neonatal Conditions	Part 4: Neonatal Conditions
Part 5: Pediatric/Adolescent Disorders	Part 5: Pediatric/Adolescent Disorders
Part 6: Mental Health Disorders	Part 6: Mental Health Disorders
Part 7: Diagnosis and Therapeutic Procedures	Part 7: Diagnosis and Therapeutic Procedures
<i>Appendix A: Nursing Diagnoses Grouped Under Functional Health Pattern</i>	<i>Appendix A: Conditions that Necessitate Nursing Care: Nursing Diagnoses Grouped by Functional Health Pattern</i>
<i>Appendix B: Nursing Admission Data Baseline Assessment</i>	<i>Appendix B: Nursing Baseline Assessment Form (online only)</i>

<i>Appendix C: Strategies to Promote Engagement of Individuals/Families for Healthier Outcomes</i>	<i>Appendix C: Strategies to Promote Engagement of Individuals/Support Persons for Healthier Outcomes</i>
<i>Appendix D: High-Risk Assessment Tools for Preventable Hospital-Acquired Conditions</i>	<i>Appendix D: High-Risk Assessment Tools for Preventable Hospital-Acquired Conditions</i>